




# TIMKEN AXLE CORP.



2.165 Inch | 55 Millimeter x 4.724 Inch | 120 Millimeter x 1.142 Inch | 29 Millimeter SKF N 311 ECMB/P6 Cylindrical Roller Bearings

Bearing No. N 311 ECMB/P6

N 311 ECMB/P6 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.762
EAN	7316577031129
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 3   ISO P6
Number of Rows of Rollers	Single Row
Separable	Outer Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   2 Rib Inner Ring   Plain Outer Ring   Cage on Inner Ring OD
Long Description	55MM Bore; Straight Bore Profile; 120MM Outside Diameter; 29MM Width;



## TIMKEN AXLE CORP.

	Brass Cage Material; RBEC 3   ISO P6; Single Row; Outer Ring - Both Sides Separable; No Snap Ring; Relubricatable; C0-Medium Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	N 311 ECMB/P6
Weight / LBS	3.882
D	4.724 Inch   120 Millimeter
B	1.142 Inch   29 Millimeter
d	2.165 Inch   55 Millimeter
bore diameter:	55 mm
static load capacity:	143 kN
outside diameter:	120 mm
precision rating:	Not Rated
overall width:	29 mm
maximum rpm:	7000 RPM
flanges:	(2) Inner Ring
bearing material:	Steel
bore type:	Straight
cage material:	Brass
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C0
closure type:	Open
ring separation:	Separable Ring
outer ring width:	29 mm
operating temperature range:	Maximum of +300 ° F



## TIMKEN AXLE CORP.

fillet radius:	2 mm
dynamic load capacity:	156 kN
series:	N3