



# TIMKEN AXLE CORP.



4.331 Inch | 110 Millimeter x 7.874 Inch | 200 Millimeter x 1.496 Inch | 38 Millimeter SKF NU 222 ECML/C3B20 Cylindrical Roller Bearings

Bearing No. NU 222 ECML/C3B20

NU 222 ECML/C3B20 Bearing 2D drawings and 3D CAD models

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	5.333
EAN	7316570661880
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - Both Sides
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   Plain Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	110MM Bore; Straight Bore Profile; 200MM Outside Diameter; 38MM Width;



## TIMKEN AXLE CORP.

	Brass Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - Both Sides Separable; No Snap Ring; Relubricatable; C3-Loose Inte
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NU 222 ECML/C3B20
Weight / LBS	11.746
B	1.496 Inch   38 Millimeter
D	7.874 Inch   200 Millimeter
d	4.331 Inch   110 Millimeter
bore diameter:	110 mm
static load capacity:	365 kN
outside diameter:	200 mm
maximum rpm:	6000 rpm
overall width:	38 mm
bearing material:	Steel
flanges:	(2) Flanges on outer Ring, Flangeless Inner Ring
cage material:	Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
operating temperature range:	Maximum 302 ° F
series:	NU
dynamic load capacity:	335 kN
manufacturer upc number:	7316570661880



# TIMKEN AXLE CORP.